

SEQUENCE LISTING

<110> REINL, Stephen
LINDBO, John
TURPEN, Thomas

<120> CREATION OF VARIABLE LENGTH AND SEQUENCE LINKER REGIONS FOR DUAL-DOMAIN OR MULTI-DOMAIN MOLECULES

<130> LSB-006

<140> unassigned

<141> 2000-09-22

<150> US 60/155,978

<151> 1999-09-24

<160> 51

<170> PatentIn version 3.0

<210> 1

<211> 9

<212> PRT

<213>

<220>

<221> misc_feature

<222> () . . ()

<223> linker

<400> 1

Pro Gly Ile Ser Gly Gly Gly Gly Gly
1 5

<210> 2

<211> 16

<212> PRT

<213> Artificial/Unknown

ପ୍ରକାଶକ ପତ୍ର ପାଇଁ ୦

00000000000000000000000000000000

<220>

<221> misc_feature

<222> ()..()

<223> linker

<400> 2

Asn Asn Asn Asn Asn Asn Asn Asn Asn Leu Gly Ile Glu Gly Arg
1 5 10 15

<210> 3

<211> 15

<212> PRT

<213> Artificial/Unknown

<220>

<221> misc_feature

<222> ()..()

<223> linker

<400> 3

Gly Gly Gly Gly Ser Gly Gly Gly Ser Gly Gly Gly Gly Ser
1 5 10 15

<210> 4

<211> 30

<212> DNA

<213> Artificial/Unknown

<220>

<221> misc_feature

<222> ()..()

<223> primer

<400> 4

gtggcatgca gttcaactg gtggagtctg

002260 "SEEZER

<210> 5
<211> 26
<212> DNA
<213> Artificial/Unknown
<220>
<221> misc_feature
<222> (1)..(3)
<223> "asy" can appear from 1 to 50 times before the remainder of the sequence
<220>
<221> misc_feature
<222> ()..()
<223> primer
<400> 5
asytgaggag acgggtgacca gggttc 26
<210> 6
<211> 41
<212> DNA
<213> Artificial/Unknown
<220>
<221> misc_feature
<222> ()..()
<223> primer
<400> 6
asyasyasya syasyasytg aggagacggt gaccagggtt c 41

<210> 7
<211> 50

Document Generated

```
<212> DNA
<213> Artificial/Unknown
<220>
<221> misc_feature
<222> ()..()
<223> primer
<400> 7
asyasyasya syasyasyas yasyasytga ggagacggtg accagggttc      50

<210> 8
<211> 29
<212> DNA
<213> Artificial/Unknown
<220>
<221> misc_feature
<222> (1)..(3)
<223> "rst" can appear from 1 to 50 times before the remainder of the
      sequence
<220>
<221> misc_feature
<222> ()..()
<223> primer
<400> 8
rstgacattc agatgaccca gtctccattc      29

<210> 9
<211> 39
<212> DNA
<213> Artificial/Unknown
```

© 2009 The Board of Trustees of the Leland Stanford Junior University

```
<220>

<221> misc_feature

<222> ()..()

<223> primer

<400> 9

cacccttaggc tatcgtttga tcagtagaccc tt ggtccccctg          39

<210> 10

<211> 44

<212> DNA

<213> Artificial/Unknown

<220>

<221> misc_feature

<222> ()..()

<223> primer

<400> 10

rstrstrstr strstrrstga cattcagatg acccagtctc cttc          44

<210> 11

<211> 53

<212> DNA

<213> Artificial/Unknown

<220>

<221> misc_feature

<222> ()..()

<223> primer

<400> 11

rstrstrstr strstrstrs trstrstgac attcagatga cccagtctcc ttc      53
```

DNA = DnaC24/2960

<210> 12
<211> 38
<212> DNA
<213> Artificial/Unknown
<220>
<221> misc_feature
<222> ()..()
<223> linker region nucleotide sequence
<400> 12
atactgctac tggtgctagt actactgctg gtgctagt 38

<210> 13
<211> 13
<212> PRT
<213> Artificial/Unknown
<220>
<221> misc_feature
<222> ()..()
<223> linker region amino acid sequence
<400> 13
Thr Thr Ala Thr Gly Ala Ser Thr Thr Ala Gly Ala Ser
1 5 10

<210> 14
<211> 39
<212> DNA
<213> Artificial/Unknown
<220>
<221> misc_feature

00000000000000000000000000000000

<222> () . . ()
<223> linker region nucleotide sequence
<400> 14
gctactgctg ctagtggtg c tgctgctgg ggtggta ct 39

<210> 15
<211> 13
<212> PRT
<213> Artificial/Unknown

<220>

<221> misc_feature
<222> () . . ()
<223> linker region amino acid sequence
<400> 15
Ala Thr Ala Ala Ser Gly Ala Ala Ala Gly Gly Gly Thr
1 5 10

<210> 16
<211> 39
<212> DNA
<213> Artificial/Unknown

<220>

<221> misc_feature
<222> () . . ()
<223> linker region nucleotide sequence

<400> 16
gctactggtg ctagtactag tgctactgct ggtggtagt 39

00000000000000000000000000000000

```
<210> 17
<211> 13
<212> PRT
<213> Artificial/Unknown

<220>
<221> misc_feature
<222> () . . ()
<223> linker region amino acid sequence

<400> 17
Ala Thr Gly Ala Ser Thr Ser Ala Thr Ala Gly Gly Ser
1           5           10

<210> 18
<211> 39
<212> DNA
<213> Artificial/Unknown

<220>
<221> misc_feature
<222> () . . ()
<223> linker region nucleotide sequence

<400> 18
agtactgctg ctggtaactag tagtggttagt agtactggt          39
<210> 19
<211> 13
<212> PRT
```

```
<213> Artificial/Unknown

<220>

<221> misc_feature

<222> ()..()

<223> linker region amino acid sequence

<400> 19

Ser Thr Ala Ala Gly Thr Ser Ser Gly Ser Ser Thr Gly
1 5 10

<210> 20

<211> 51

<212> DNA

<213> Artificial/Unknown

<220>

<221> misc_feature

<222> ()..()

<223> linker region nucleotide sequence

<400> 20

gctagtagactg ctactagtag tggtggtgggt ggtactggta gtagtgctgc t 51

<210> 21

<211> 17

<212> PRT

<213> Artificial/Unknown

<220>

<221> misc_feature

<222> ()..()

<223> linker region amino acid sequence

<400> 21
```

Ala Ser Thr Ala Thr Ser Ser Gly Gly Gly Thr Gly Ser Ser Ala Ala
1 5 10 15

Ala

<210> 22

<211> 60

<212> DNA

<213> Artificial/Unknown

<220>

<221> misc_feature

<222> ()..()

<223> linker region nucleotide sequence

<400> 22

gctactagta ctgctgctgc tggtgctact agtgctactg gtggtgctag tggtaactgg 600

<210> 23

<211> 20

<212> PRT

<213> Artificial/Unknown

<220>

<221> misc_feature

<222> ()..()

<223> linker region amino acid sequence

<400> 23

Ala Thr Ser Thr Ala Ala Ala Gly Ala Thr Ser Ala Thr Gly Gly Ala
1 5 10 15

Ser Gly Thr Gly
20

<210> 24

<211> 39
<212> DNA
<213> Artificial/Unknown
<220>
<221> misc_feature
<222> () . . ()
<223> linker region nucleotide sequence
<400> 24

actggtgctta gtggtgctac tagtagtggt agtagtagt 39

<210> 25
<211> 13
<212> PRT
<213> Artificial/Unknown
<220>
<221> misc_feature
<222> () . . ()
<223> linker region amino acid sequence
<400> 25

Thr Gly Ala Ser Gly Ala Thr Ser Ser Gly Ser Ser Ser
1 5 10

<210> 26
<211> 31
<212> DNA
<213> Artificial/Unknown
<220>
<221> misc_feature
<222> () . . ()

0 0

```
<223> primer
<400> 26
cctgcatgct ggaggtgcag ttggtgaaat c 31

<210> 27
<211> 23
<212> DNA
<213> Artificial/Unknown
<220>
<221> misc_feature
<222> (1)...(3)
<223> "asy" can appear from 1 to 50 times before the remainder of the
sequence
<220>
<221> misc_feature
<222> ()...()
<223> primer
<400> 27
asyagaggag acggtgacca tga 23

<210> 28
<211> 32
<212> DNA
<213> Artificial/Unknown
<220>
<221> misc_feature
<222> ()...()
<223> primer
```

DNA sequence

<400> 28
asyasyasya syagaggaga cggtgaccat ga 32

<210> 29
<211> 47
<212> DNA
<213> Artificial/Unknown
<220>
<221> misc_feature
<222> ()..()
<223> primer
<400> 29
asyasyasya syasyasyas yasyasyaga ggagacggtg accatga 47

<210> 30
<211> 22
<212> DNA
<213> Artificial/Unknown
<220>
<221> misc_feature
<222> (1)..(3)
<223> "rst" can appear from 1 to 50 times before the remainder of the sequence
<220>
<221> misc_feature
<222> ()..()
<223> primer
<400> 30
rstcagtctg ccctgactca gt 22

002260 "422222222222

<210> 31
<211> 34
<212> DNA
<213> Artificial/Unknown
<220>
<221> misc_feature
<222> ()..()
<223> primer

<400> 31
cacccttagt caacccaagga cggtcagggtt ggtc 34

<210> 32
<211> 37
<212> DNA
<213> Artificial/Unknown
<220>
<221> misc_feature
<222> ()..()
<223> primer

<400> 32
rstrstrstr strstrstca gtctgccctg actcagt 37

<210> 33
<211> 46
<212> DNA
<213> Artificial/Unknown
<220>

0
0
0
0
0
0
0
0
0
0
0

<221> misc_feature
<222> ()..()
<223> primer
<400> 33

rstrstrstr strstrstrs trstrstcag tctgccctga ctca 46

<210> 34
<211> 15
<212> DNA
<213> Artificial/Unknown

<220>
<221> misc_feature
<222> ()..()
<223> linker region nucleotide sequence
<400> 34

ggtgctggtg gtgg 15

<210> 35
<211> 5
<212> PRT
<213> Artificial/Unknown

<220>
<221> misc_feature
<222> ()..()
<223> linker region amino acid sequence
<400> 35

Gly Ala Gly Gly Gly
1 5

```
<210> 36
<211> 30
<212> DNA
<213> Artificial/Unknown
<220>
<221> misc_feature
<222> ()..()
<223> linker region nucleotide sequence
<400> 36
actgggtggtg gtgggtggtag tggtgggtggt 30

<210> 37
<211> 10
<212> PRT
<213> Artificial/Unknown
<220>
<221> misc_feature
<222> ()..()
<223> linker region amino acid sequence
<400> 37
Thr Gly Gly Gly Gly Ser Gly Gly Gly
1           5           10

<210> 38
<211> 36
<212> DNA
<213> Artificial/Unknown
<220>
<221> misc_feature
```

Q E S P D E G Q D G D G Q

<222> ()..()

<223> linker region nucleotide sequence

<400> 38

actactacta ctgctactac tgctggtagt ggtgct 36

<210> 39

<211> 12

<212> PRT

<213> Artificial/Unknown

<220>

<221> misc_feature

<222> ()..()

<223> linker region amino acid sequence

<400> 39

Thr Thr Thr Thr Ala Thr Thr Ala Gly Ser Gly Ala
1 5 10

<210> 40

<211> 15

<212> DNA

<213> Artificial/Unknown

<220>

<221> misc_feature

<222> ()..()

<223> linker region nucleotide sequence

<400> 40

gctagtactg gtgct 15

<210> 41

<211> 5

<212> PRT
<213> Artificial/Unknown
<220>
<221> misc_feature
<222> () .. ()
<223> linker region amino acid sequence
<400> 41

Ala Ser Thr Gly Ala
1 5

```
<210> 42
<211> 24
<212> DNA
<213> Artificial/Unknown
<220>
<221> misc_feature
<222> ()..()
<223> linker region nucleotide sequence
<400> 42
```

agtactggta gtagtggtgc tggt

<210> 43

<211> 8

<212> PRT

<213> Artificial/Unknown

<220>

<221> misc_feature

<222> ()..()

<223> linker region amino acid sequence

24

000000000000000000000000

<400> 43

Ser Thr Gly Ser Ser Gly Ala Gly
1 5

<210> 44

<211> 21

<212> DNA

<213> Artificial/Unknown

<220>

<221> misc_feature

<222> ()..()

<223> linker region nucleotide sequence

<400> 44

gcttagtagtg gtgctagtgc t

21

<210> 45

<211> 7

<212> PRT

<213> Artificial/Unknown

<220>

<221> misc_feature

<222> ()..()

<223> linker region amino acid sequence

<400> 45

Ala Ser Ser Gly Ala Ser Ala
1 5

,

<210> 46

<211> 39

<212> DNA

```
<213> Artificial/Unknown

<220>

<221> misc_feature

<222> ()..()

<223> linker region nucleotide sequence

<400> 46

gctatgggtg gtactgctgg tactggtggt agtagtact          39

<210> 47

<211> 13

<212> PRT

<213> Artificial/Unknown

<220>

<221> misc_feature

<222> ()..()

<223> linker region amino acid sequence

<400> 47

Ala Ser Gly Gly Thr Ala Gly Thr Gly Gly Ser Ser Thr
1                      5                         10

<210> 48

<211> 51

<212> DNA

<213> Artificial/Unknown

<220>

<221> misc_feature

<222> ()..()

<223> linker region nucleotide sequence

<400> 48
```

actagtggta gtgggtgctag tgctgctgct ggtggtgctg ctgctagtgc t 51

<210> 49

<211> 17

<212> PRT

<213> Artificial/Unknown

<220>

<221> misc_feature

<222> ()..()

<223> linker region amino acid sequence

<400> 49

Thr Ser Gly Ser Gly Ala Ser Ala Ala Ala Gly Gly Ala Ala Ala Ser
1 5 10 15

Ala

<210> 50

<211> 24

<212> DNA

<213> Artificial/Unknown

<220>

<221> misc_feature

<222> ()..()

<223> primer

<400> 50

rstrstrstr strstrrstca tgcc

24

<210> 51

<211> 24

<212> DNA

<213> Artificial/Unknown

<220>

<221> misc_feature

<222> ()..()

<223> primer

<400> 51

ggcatgasya syasyasyas yasy

24

00000000000000000000000000000000